Shape   Sha	Ant product technical parameters and configuration Chery Big Ant EQ5 Version 20200922						
Length × height (mm)  Wheelbase (mm)  Wheel track (front/rear) (mm)  Wheel track (front/rear) (mm)  Wheel track (front/rear) (mm)  Wheel track (front/rear) (mm)  ### 1660  ### 1760  ###	Edition type				Super Edition		
Wheelbase (mm)         2830           Wheel track (front/rear) (mm)         1630           Whilainum ground debarance (mm)         166           Whilainum truring radius (m)         6           Curb weight (Kg)         225/60818         245/45820           Performance parameter         225/60818         245/45820           Battery pack capacity (8Wh)         70.1         70.1           Motor type         Permanent magnet synchronous motor         120         130           Washiery pack capacity (8Wh)         250         280           Motor type         Permanent magnet synchronous motor         120         130           Motor type         Permanent magnet synchronous motor         280         280           Motor type         120         130         30           Motor power (kw)         120         130         30           Motor power (kw)         510         600         660           Acceleration per formance (9 508/wh) (s)         4.88         4.88         4.88           Maximum specific (front)         510         50         50         50           Steach carging time (h)         6.5 hours (25°C, 30%-80%) Co         50         50         50         50         50         50	Size and quality						
Wheel track (front/rear) (mm)         1620/1620           Minimum ground clearance (mm)         166           Curb weight (Kg)         1760           Tire specifications         225/60118         243/45820           Performance parameter         225/60118         243/45820           Sattery Type         High-performance power termary lithlum battery         Sattery Type         Permanent magnet synchronous motor           Motor type         Permanent magnet synchronous motor         120         130           Motor power (kw)         120         130 </td <td>Length <math>\times</math> width <math>\times</math> height (mm)</td> <td></td> <td>4630×19</td> <td>910×1655</td> <td></td>	Length $\times$ width $\times$ height (mm)		4630×19	910×1655			
Minimum pround clearance (mm)	Wheelbase (mm)		28	330			
Minimum turning radius (m)  Curb weight (Kg)  Tires specifications  225/60R18  245/45R20  Tereformance parameter  Sattery Type    High-performance power ternary lithium battery  Stattery Type   Permanent magnet synchronous motor  Motor type   Permanent magnet synchronous motor  Motor power (low)   120	Wheel track (front/rear) (mm)		1620	/1620			
Curb weight (Kig)	Minimum ground clearance (mm)		1	66			
Time specifications	Minimum turning radius (m)			6			
Reformance parameter	Curb weight (Kg)		17	'60			
High-performance power ternary lithium battery Battery Type   Motor type	Tire specifications	225/	60R18	245/-	45R20		
Rattery pack capacity (RWh)	Performance parameter	<del>.</del>					
Motor type		High-perf	-		ium battery		
Maximum torque of motor (Nm)	· · · · · · · · · · · · · · · · · · ·						
Maximum torque of motor (N-m)   250   280		Perm	anent magnet	synchronous	motor		
Comprehensive operating conditions (NEDC) driving range (Km)   600	Motor power (kw)	120					
60km/h constant speed driving range (Km) Acceleration performance (0-50km/h) (s)  Braking system (from the month of the month	Maximum torque of motor (N·m)	250					
Acceleration performance (0-50km/h) (s)  Maximum speed (Km/h)  170  180  11-13 hours (6.6kw charger) Fast charging time (h)  11-13 hours (6.6kw charger) Fast charging time (h)  10-5 hours (25°C, 30%-80% SOC)  Braking, suspension, driving mode  Braking system (front/rear)  Suspension system (front/rear)  Ventilated pan type/pan type Front suspension, water research suspension, water research suspension, water research suspension, brive way  Number of drivers  Species  New Energy Technology  Slow charging breathing light  6.							
Maximum speed (Km/h)         170           Slow charging time (h)         ≥≥         11-13 hours (6.6kw charger)           Brask charging time (h)         0.5 hours (25°C, 30%-80% SOC)           Brasking, suspension, driving mode         Ventilated pan type/pan type           Brasking, system (front/rear)         Ventilated pan type/pan type           Suspension system (front/rear)         Province of the part							
Slow charging time (h)   885   11-13 hours (6.6kw charger)   0.5 hours (25°C, 30%-80% SOC)	Acceleration performance (0-50km/h) (s)						
Fast charging time (h)  Braking, suspension, driving mode  Braking, suspension, driving mode  Suspension system (front/rear)  Number of drivers  New Energy Technology  Slow charging breathing light  6.6kW car charger  220V external power output  Battery Smart Temperature Control Plus System  Brake energy recovery and quick adjustment  Front cabin decoration cover (front trunk)  2	·						
Braking, suspension, driving mode Braking system (front/rear) Suspension system (front/rear) Suspension system (front/rear)  Drive way Suspension system (front/rear) Suspension system (front suspension susp							
Stake   Stak	Fast charging time (h)	0.	5 hours (25°C,	30%-80% SC	OC)		
Suspension system (front/rear)  Provint suspension: Multi-link: Indoangendent suspension/Rear drive  Number of drivers  New Energy Technology  Slow charging breathing light  -							
Suspension system (ron/rear)  Number of drivers  New Energy Technology  Number of drivers  New Energy Technology  Signature (1997)  Signature (1997)  New Energy Technology  Signature (1997)  S		FIRM SHE	Ventilated pan	type/pan typ	oe Osioovaaa		
Number of drivers   S-people	Suspension system (front/rear)						
New Energy Technology  Slow charging breathing light  -	Drive way		Rear	drive			
Slow charging breathing light 6.6kW car charger 220V external power output 8attery Smart Temperature Control Plus System 8	Number of drivers		5-pe	eople			
6.6kW car charger  2200 veternal power output  3	New Energy Technology	<del>.</del>	1	1	•		
220V external power output  Built-in 220V power output  Battery Smart Temperature Control Plus System  Brake energy recovery system  Smart energy recovery and quick adjustment  Front cabin decoration cover (front trunk)  External configuration  18-inch aluminum alloy wheels  20-inch star wheel  Red calipers  Yaohei panoramic sunroof  Chrome-plated bright strips for doors and windows  luggage rack  Boneless wiper  Induction boneless wiper  Induction becetric tailgate  Four-door one-key lift window + anti-pinch  External rearview mirror integrated LED turn signal  Rearview mirror electric adjustment  Rearview mirror electric adjustment  Rearview mirror reverses automatically flip (memory)  Daytime running lights  LED tail light  Automatic headlights	Slow charging breathing light	-	•	•	•		
Built-in 220V power output Battery Smart Temperature Control Plus System Brake energy recovery system Pront cabin decoration cover (front trunk)  External configuration  18-inch aluminum alloy wheels Pront cabin aluminum alloy wheels Prour-inch star wheel Pront cabin aluminum alloy wheels Prour-inch star wheel Pront cabin decoration cover (front trunk) Pront aluminum alloy wheels Prour-doel plated bright strips for doors and windows Prour-door one-less wiper Prour-door one-less wiper Prour-door one-key lift window + anti-pinch Prour-door one-key lift window + anti-pi	6.6kW car charger	•	•	•	•		
Battery Smart Temperature Control Plus System Brake energy recovery system Smart energy recovery and quick adjustment Front cabin decoration cover (front trunk) Esternal configuration  18-inch aluminum alloy wheels 20-inch star wheel Red calipers Red calipers Red calipers Raybei panoramic surroof Romen-plated bright strips for doors and windows Ingagage rack Boneless wiper Induction boneless wiper Induction electric tailgate Four-door power windows Four-door one-key lift window + anti-pinch External rearview mirror integrated LED turn signal Rearview mirror electric dolding Rearview mirror reverses automatically flip (memory) Daytime running lights LED tail light Automatic headlights	220V external power output	-	-	•	•		
Brake energy recovery system  Smart energy recovery and quick adjustment  Front cabin decoration cover (front trunk)  External configuration  18-inch aluminum alloy wheels  20-inch star wheel  Red calipers  Yaohei panoramic sunroof  Chrome-plated bright strips for doors and windows  luggage rack  Boneless wiper  Induction boneless wiper  Induction electric tailgate  Four-door power windows  Four-door one-key lift window + anti-pinch  External rearview mirror integrated LED turn signal  Rearview mirror electric adjustment  Rearview mirror reverses automatically flip (memory)  Daytime running lights  LED tail light  Automatic headlights	·	-	-	•	•		
Smart energy recovery and quick adjustment  Front cabin decoration cover (front trunk)  External configuration  18-inch aluminum alloy wheels  20-inch star wheel Red calipers  Yaohei panoramic sunroof  Chrome-plated bright strips for doors and windows  luggage rack Boneless wiper  Induction boneless wiper  Induction electric tailgate  Four-door power windows  Four-door power windows  Rearview mirror electric adjustment  Rearview mirror electric folding  Rearview mirror reverses automatically flip (memory)  Daytime running lights  ELED tail light  Automatic headlights	Battery Smart Temperature Control Plus System	•	•	•	•		
Front cabin decoration cover (front trunk)  External configuration  18-inch aluminum alloy wheels  20-inch star wheel  Red calipers  Yaohei panoramic sunroof  Chrome-plated bright strips for doors and windows  luggage rack  Boneless wiper  Induction boneless wiper  Induction electric tailgate  Four-door power windows  Four-door one-key lift window + anti-pinch  External rearview mirror electric adjustment  Rearview mirror electric adjustment  Rearview mirror reverses automatically flip (memory)  Daytime running lights  LED tail light  Automatic headlights	Brake energy recovery system	•	•	•	•		
■ External configuration  18-inch aluminum alloy wheels 20-inch star wheel Red calipers Red calipers Red calipers Rother panoramic sunroof Rother	Smart energy recovery and quick adjustment	•	•	•	•		
18-inch aluminum alloy wheels 20-inch star wheel Red calipers Yaohei panoramic sunroof Chrome-plated bright strips for doors and windows luggage rack Boneless wiper Boneless wiper Chrome-plated bright strips for doors and windows Lugdage rack Boneless wiper Chrome-plated bright strips for doors and windows Lugdage rack Chrome-plated bright strips for doors and windows Lugdage rack Chrome-plated bright strips for doors and windows Lugdage rack Chrome-plated bright strips for doors and windows Chrome-plated bright windows Chrome-plated bright windows Chrome-plated bright strips for doors and		-	•	•	•		
20-inch star wheel Red calipers Yaohei panoramic sunroof Chrome-plated bright strips for doors and windows luggage rack Boneless wiper Induction boneless wiper Induction electric tailgate Four-door power windows Four-door power windows Four-door power windows Fauroir electric tailgate Four-door now-key lift window + anti-pinch Fauroir electric adjustment Rearview mirror electric dolding Rearview mirror electric folding Rearview mirror reverses automatically flip (memory) Daytime running lights LED tail light Automatic headlights	<u> </u>		T	T			
Red calipers  Yaohei panoramic sunroof  Chrome-plated bright strips for doors and windows  luggage rack  Boneless wiper  Induction boneless wiper  Induction electric tailgate  Four-door power windows  Four-door one-key lift window + anti-pinch  External rearview mirror integrated LED turn signal  Rearview mirror electric adjustment  Rearview mirror heating  Rearview mirror reverses automatically flip (memory)  Daytime running lights  LED tail light  Automatic headlights	·	•	•	-	-		
Ayaohei panoramic sunroof Chrome-plated bright strips for doors and windows luggage rack Boneless wiper Induction boneless wiper Induction boneless wiper Induction electric tailgate Four-door power windows Four-door noe-key lift window + anti-pinch External rearview mirror integrated LED turn signal Rearview mirror electric adjustment Rearview mirror electric folding Rearview mirror reverses automatically flip (memory) Daytime running lights  Automatic headlight  Automatic headlights  - • • • • • • • • • • • • • • • • • •		-	0	•	•		
Chrome-plated bright strips for doors and windows  luggage rack  Boneless wiper  Induction boneless wiper  Induction electric tailgate  Four-door power windows  Four-door one-key lift window + anti-pinch  External rearview mirror integrated LED turn signal  Rearview mirror electric adjustment  Rearview mirror electric folding  Rearview mirror reverses automatically flip (memory)  Daytime running lights  Automatic headlight  Automatic headlights	•	-	-	•	•		
Induction boneless wiper  Induction boneless wiper  Induction electric tailgate  Four-door power windows  Four-door one-key lift window + anti-pinch  External rearview mirror integrated LED turn signal  Rearview mirror electric adjustment  Rearview mirror electric folding  Rearview mirror reverses automatically flip (memory)  Daytime running lights  Automatic headlights  • • • • • • • • • • • • • • • • • • •	,	-	•	•	•		
Boneless wiper  Induction boneless wiper  Induction electric tailgate  Four-door power windows  Four-door one-key lift window + anti-pinch  External rearview mirror integrated LED turn signal  Rearview mirror electric adjustment  Rearview mirror electric folding  Rearview mirror reverses automatically flip (memory)  Daytime running lights  Automatic headlight  Automatic headlights		•	•	•	•		
Induction boneless wiper  Induction electric tailgate  Four-door power windows  Four-door one-key lift window + anti-pinch  External rearview mirror integrated LED turn signal  Rearview mirror electric adjustment  Rearview mirror electric folding  Rearview mirror heating  Rearview mirror reverses automatically flip (memory)  Daytime running lights  Automatic headlight  Automatic headlights		•	•	•	•		
Induction electric tailgate Four-door power windows Four-door one-key lift window + anti-pinch External rearview mirror integrated LED turn signal Rearview mirror electric adjustment Rearview mirror electric folding Rearview mirror heating Rearview mirror reverses automatically flip (memory) Daytime running lights  LED tail light Automatic headlights	·	•	•	•	•		
Four-door power windows Four-door one-key lift window + anti-pinch External rearview mirror integrated LED turn signal Rearview mirror electric adjustment  Rearview mirror electric folding  Rearview mirror heating  Rearview mirror reverses automatically flip (memory)  Daytime running lights  LED tail light  Automatic headlights  • • • • • • • • • • • • • • • • • •	•		-	•	•		
Four-door one-key lift window + anti-pinch  External rearview mirror integrated LED turn signal  Rearview mirror electric adjustment  Rearview mirror electric folding  Rearview mirror heating  Rearview mirror reverses automatically flip (memory)  Daytime running lights  EdHeadlight  Automatic headlights  - • • • • • • • • • • • • • • • • • •	Induction electric tailgate	-	-	•	•		
External rearview mirror integrated LED turn signal  Rearview mirror electric adjustment  Rearview mirror electric folding  Rearview mirror heating  Rearview mirror reverses automatically flip (memory)  Daytime running lights  eledHeadlight  -  LED tail light  Automatic headlights  -  Automatic headlights	·	•	•	•	•		
Rearview mirror electric adjustment  Rearview mirror electric folding  Rearview mirror heating  Rearview mirror reverses automatically flip (memory)  Daytime running lights  eledHeadlight  LED tail light  Automatic headlights  eledHeadlights	·	-	•	•	•		
Rearview mirror electric folding  Rearview mirror heating  Rearview mirror reverses automatically flip (memory)  Daytime running lights  eledHeadlight  LED tail light  Automatic headlights		•	•	•	•		
Rearview mirror heating  Rearview mirror reverses automatically flip (memory)  Daytime running lights  IdedHeadlight  LED tail light  Automatic headlights  - • • • • • • • • • • • • • • • • • •		•	•	•	•		
Rearview mirror reverses automatically flip (memory)  Daytime running lights  ledHeadlight  -  LED tail light  Automatic headlights  -  -  -  -  -  -  -  -  -  -  -  -  -	•	-	-	•	•		
Daytime running lights  ledHeadlight  -  LED tail light  -  Automatic headlights  -  -  -  -  -  -  -  -  -  -  -  -  -	Rearview mirror heating	-	•	•	•		
ledHeadlight - • • •  LED tail light - • •  Automatic headlights • •	Rearview mirror reverses automatically flip (memory)	-	-	•	•		
LED tail light - • • • Automatic headlights • • •	Daytime running lights	•	•	•	•		
Automatic headlights • •	ledHeadlight	-	•	•	•		
·	LED tail light	-	•	•	•		
Adjustable headlight height • • • •	Automatic headlights		-	•	•		
	Adjustable headlight height	•	•	•	•		

				•
Delayed headlight lighting (accompany me home)	•	•	•	•
Automatic car search function	•	•	•	•
Turn assist lamp	-	•	•	•
Indoor front ceiling light	•	•	•	•
Xinghan Atmosphere Light Group	-	-	•	•
Door welcome light	-	-	•	•
Luggage compartment lights	•	•	•	•
■ Internal configuration				
Steering wheel manual four-way adjustment	•	•	•	•
Leather steering wheel	+ -	•	•	•
Multifunction steering wheel	<del>                                     </del>			
All black interior	•	•	•	•
	•	•	•	-
Black rice interior	-	0	0	-
Black and brown interior	-	-	0	•
Cruise control	-	•	•	•
one-button start	•	•	•	•
Keyless entry	•	•	•	•
Gear lever shift	•	•	•	•
EPS electric power steering	•	•	•	•
Front cigarette lighter power supply	•	•	•	•
2 front USB ports	•	•	•	•
2 USB ports in the rear	•	•	•	•
Pedestrian reminder	•	•	•	•
■ Seat configuration EPS				
Premium leather seats	•	•	•	-
First layer cowhide seat + co-pilot BOSS button	-	-	0	•
Main driver's seat manual 6-way adjustment	•	-	-	_
Main driving seat electric 10-way adjustment (including electric lumbar support 4-way)	-	•	•	•
Co-driver seat electric 4-way adjustment	_	_	•	•
Seat memory function	-	_	•	•
Electric heating for front seats	-	•	•	•
Front seat ventilation	-	-	•	•
The proportion of the second row of seats is down	•	•	•	•
Headrest adjustable up and down in the front row	•	•	•	•
Adjustable rear headrest	•	•	•	•
Front seat center armrest Rear central armrest + cup holder	-	•	•	•
·			, ,	
Intelligent automatic air conditioner	Sinale zone	Dual zone	i Duai zone	Duai zone
Intelligent automatic air conditioner Rear air conditioner outlet	Single zone	Dual zone •	Dual zone •	Dual zone •
Rear air conditioner outlet Rear windshield defrost				
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter	•	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system	-	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System	•	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system	-	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System	-	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution	-	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system	-	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags	-	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag	- - - - - -	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain	- - - - - - - -	•	• • • • • • • • • •	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag	- - - - - -	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system	- - - - - - - - -	•	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system Ramp assist	- - - - - - - - - - - - - - - - - - -	•	• • • • • • • • • • • • • • • • • • •	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system Ramp assist Steep slope		• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system Ramp assist Steep slope Front parking radar		• • • • • • • • • • • • • • • • • • •	•	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  ■ Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system Ramp assist Steep slope Front parking radar Rear parking sensor		• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	•
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system Ramp assist Steep slope Front parking radar		• • • • • • • • • • • • • • • • • • •	•	
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system Ramp assist Steep slope Front parking radar Rear parking sensor Reversing video image with dynamic auxiliary line 360 panoramic image Tire pressure monitoring		• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • •
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system Ramp assist Steep slope Front parking radar Rear parking sensor Reversing video image with dynamic auxiliary line 360 panoramic image Tire pressure monitoring ISO FIX child seat interface		• • • • • • • • • • • • • • • • • • •	•	
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system Bramp assist Steep slope Front parking radar Rear parking sensor Reversing video image with dynamic auxiliary line 360 panoramic image Tire pressure monitoring ISO FIX child seat interface Built-in driving recorder		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system Ramp assist Steep slope Front parking radar Rear parking sensor Reversing video image with dynamic auxiliary line 360 panoramic image Tire pressure monitoring ISO FIX child seat interface Built-in driving recorder Automatically lock when driving		· · · · · · · · · · · · · · · · · · ·		
Rear air conditioner outlet Rear windshield defrost CN95 grade air-conditioning filter Negative ion air purification system AQS Air Quality Management System Fragrance system  Safety equipment ABS anti-lock EBD braking force distribution Electronically controlled power-assisted braking system Front double airbags Front side airbag Side air curtain ESC body electronic stability system Active anti-roll system Brake assist system Bramp assist Steep slope Front parking radar Rear parking sensor Reversing video image with dynamic auxiliary line 360 panoramic image Tire pressure monitoring ISO FIX child seat interface Built-in driving recorder		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	

		•	-	
The driver's seat belt is not fastened	•	•	•	•
The co-pilot seat belt is not fastened	-	-	•	•
Front pre-tightened seat belts	•	•	•	•
Front pre-tightened seat belt-bolt lock	-	-	-	•
Two three-point seat belts on the left and right in the front row	•	•	•	•
The rear seat belt is not reminded	-	-	-	•
Rear left seat belt with pre-tensioning function	-	-	•	•
Child safety door lock	•	•	•	•
High brake lights	•	•	•	•
Anti-theft alarm	•	•	•	•
T-BOX smart phone remote monitoring security system	•	•	•	•
■ Intelligent network connection system				
Intelligent Connected Vehicle System	-	•	•	•
Intelligent voice human-computer interaction system	-	•	•	•
Full LCD instrument (broken code screen)	•	-	-	-
12.3 inch full LCD instrument	-	•	•	•
12.3 inch center console color large screen	•	•	•	•
GPS navigation	-	•	•	•
Phone mapping	•	•	•	•
Bluetooth/car phone	•	•	•	•
Sony brand audio	_	_	_	•
External audio source interface (USB)	•	•	•	•
Support various audio formats	•	•	•	•
Number of speakers	4	6	6	8
Online road rescue	•	•	•	•
Intelligent push of charging pile	•	•	•	•
Mobile phone wireless charging	_	-	•	•
Mobile phone remote control (air conditioner, sunroof, car window, door lock, charging,				
letc.)	•	•	•	•
■ Autopilot system				
FCW front collision warning	1 <sub>-</sub>	I _		•
LDW lane departure warning	_	_	•	•
TSR road sign recognition	_		•	•
AHC automatic high beam control	_	_	•	•
LCW Lane Change Assist	_	_	•	•
LCW Lane Change Assist	<u> </u>	_	•	•
RCTA backward traffic through warning	-	-	•	•
BSD blind spot monitoring	-	-	•	•
DOW door open warning	-	-	•	•
PCW pedestrian collision warning	-	-	-	•
Active speed limit	-	-	-	•
AEB Active Brake System	-	-	-	•
LKA lane keeping	-	-	-	•
ACC adaptive cruise	-	-	-	•
TJA Traffic Congestion Assist	-	-	-	•
RCW post-collision warning	-	_	-	•
APA automatic parking	_	_	-	•
Face ID face recognition	_	_	-	•
BAWS fatigue monitoring	_	_	_	_
s. tro laague monitoring	<del></del>	<del></del>		•

Remarks: 1. "•" means mandatory, "-" means not equipped, and "o" means optional; 2. The black-brown interior is bound with the first-layer cowhide seat and the passenger's BOSS button. 3. High-energy version selection Install a 20-inch starlight aluminum ring, an additional price of 2,000 yuan; high-energy Pro optional black-brown interior, first-layer leather seats, co-driver BOSS button, an additional 3,000 yuan; 4. In view of the company's continuous remodeling and improvement of the car, the company The right to change or deactivate the technical parameters, configuration and optional parts of the vehicle is reserved. If there is any change, please refer to the latest official vehicle